

CompTIA

LX0-104

CompTIA Linux+ [Powered by LPI] - Exam 2

Verified by IT Experts

*Pass your
exam in first
attempt*

**DEMO
QUESTIONS**

**BEST
SELLER**

Topic break down

Topic	No. of Questions
Topic 1: Shells, Scripting and Data Management	1
Topic 2: User Interfaces and Desktops	1
Topic 3: Administrative Tasks	2
Topic 4: Essential System Services	1
Topic 5: Networking Fundamentals	4
Topic 6: Security	1

Topic 1, Shells, Scripting and Data Management

Question No : 1 - (Topic 1)

What output will the following command sequence produce?

```
echo '1 2 3 4 5 6' | while read a b c; do
```

```
echo result: $c $b $a;
```

```
done
```

A. result: 3 4 5 6 2 1

B. result: 1 2 3 4 5 6

C. result: 6 5 4

D. result: 6 5 4 3 2 1

E. result: 3 2 1

Answer: A

Topic 2, User Interfaces and Desktops

Question No : 2 - (Topic 2)

For accessibility assistance, which of the following programs is an on-screen keyboard?

A. xkb

B. atkb

C. GOK

D. xOSK

Answer: C

Topic 3, Administrative Tasks

Question No : 3 - (Topic 3)

Which command can be used to delete a group from a Linux system?

A. groupdel

B. groupmod

C. groups

D. groupedit

Answer: A

Question No : 4 - (Topic 3)

Which of the following commands can remove a user from a group?

- A. grouprm
- B. groupmod
- C. passwd
- D. usergroups
- E. usermod

Answer: E

Topic 4, Essential System Services

Question No : 5 CORRECT TEXT - (Topic 4)

After configuring printing on a Linux server, the administrator sends a test file to one of the printers and it fails to print. What command can be used to display the status of the printer's queue? (Specify ONLY the command without any path or parameters.)

Answer: lpq, /usr/bin/lpq, lpstat, /usr/bin/lpstat

Topic 5, Networking Fundamentals

Question No : 6 CORRECT TEXT - (Topic 5)

How many IP-addresses can be used for unique hosts inside the IPv4 subnet 192.168.2.128/28? (Specify the number only without any additional information.)

Answer: 14

Question No : 7 - (Topic 5)

What is the command to delete the default gateway from the system IP routing table? (Choose TWO correct answers.)

- A. route del default
- B. ifconfig unset default
- C. netstat -r default
- D. ip route del default
- E. sysctl ipv4.default_gw=0

Answer: A,D

Question No : 8 - (Topic 5)

Which of the following is true about IPv6?

- A. With IPv6, the TCP port numbers of most services have changed.
- B. IPv6 no longer supports broadcast addresses.
- C. IPv4 addresses can be used without any change with IPv6.
- D. IPv6 no longer supports multicast addresses.
- E. For IPv6, UDP and TCP have been replaced by the Rapid Transmission Protocol RTP.

Answer: B

Question No : 9 - (Topic 5)

Which of the following details is NOT provided in any output from the netstat utility?

- A. broadcast services
- B. interface statistics
- C. masquerading connections
- D. network connections
- E. routing tables

Answer: A

Topic 6, Security

Question No : 10 - (Topic 6)

Which command is used to set restrictions on the size of a core file that is created for a user when a program crashes?

- A. core
- B. edquota
- C. ulimit
- D. quota

Answer: C